

CIF Concussion Return to Play (RTP) Protocol

CA STATE LAW AB 2127 (Effective 1/1/15) STATES THAT RETURN TO PLAY (I.E., COMPETITION) <u>CANNOT BE SOONER THAN 7 DAYS AFTER EVALUATION BY A PHYSICIAN (MD/DO)</u> WHO HAS MADE THE DIAGNOSIS OF CONCUSSION.

Instructions:

- This graduated return to play protocol MUST be completed before you can return to FULL COMPETITION.
 - A certified athletic trainer (AT), physician, and/or identified concussion monitor (e.g., coach, athletic director), must monitor your
 progression and initial each stage after you successfully pass it.
 - o Stages I to II-D take a *minimum* of 6 days to complete.
 - o You must be back to normal academic activities before beginning Stage II, unless otherwise instructed by your physician.
 - o You must complete one full practice without restrictions (Stage III) before competing in first game.
- After Stage I, you cannot progress more than one stage per day (or longer if instructed by your physician).
- If symptoms return at any stage in the progression, IMMEDIATELY STOP any physical activity and follow up with your school's AT, other
 identified concussion monitor, or your physician. In general, if you are symptom-free the next day, return to the previous stage where
 symptoms had not occurred.
- Seek further medical attention if you cannot pass a stage after 3 attempts due to concussion symptoms, or if you feel uncomfortable at anytime during the progression.

You must have written physician (MD/DO) clearance to begin and progress through the following Stages as outlined below (or as otherwise directed by physician)							
Date & Initials	Stage	Activity	Exercise Example	Objective of the Stage			
	ı	No physical activity for at least 2 full symptom-free days <u>AFTER</u> you have seen a physician	No activities requiring exertion (weight lifting, jogging, P.E. classes)	Recovery and elimination of symptoms			
	II-A	Light aerobic activity	 10-15 minutes (min) of walking or stationary biking. Must be performed under direct supervision by designated individual 	 Increase heart rate to no more than 50% of perceived maximum (max) exertion (e.g.,< 100 beats per min) Monitor for symptom return 			
	II-B	Moderate aerobic activity (Light resistance training)	 20-30 min jogging or stationary biking Body weight exercises (squats, planks, pushups), max 1 set of 10, no more than 10 min total 	 Increase heart rate to 50-75% max exertion (e.g.,100-150 bpm) Monitor for symptom return 			
	II-C	Strenuous aerobic activity (Moderate resistance training)	 30-45 min running or stationary biking Weight lifting ≤ 50% of max weight 	 Increase heart rate to > 75% max exertion Monitor for symptom return 			
	II-D	Non-contact training with sport-specific drills (No restrictions for weightlifting)	Non-contact drills, sport-specific activities (cutting, jumping, sprinting) No contact with people, padding or the floor/mat	Add total body movement Monitor for symptom return			
Minimum of 6 days to pass Stages I and II. Prior to beginning Stage III, please make sure that written physician (MD/DO) clearance for return to play, after successful completion of Stages I and II, has been given to your school's concussion monitor							
	III	Limited contact practice	Controlled contact drills allowed (no scrimmaging)	Increase acceleration, deceleration and rotational forces Restore confidence, assess readiness for return to play Monitor for symptom return			
		Full contact practice Full unrestricted practice	Return to normal training, with contact Return to normal unrestricted training				
MANDATORY: You must complete at least ONE contact practice before return to competition, or if non-contact sport, ONE unrestricted practice (If contact sport, highly recommend that Stage III be divided into 2 contact practice days as outlined above)							
	IV	Return to play (competition)	Normal game play (competitive event)	Return to full sports activity without restrictions			

Athlete's Name:_	Date of Concussion Diagnosis:		
_	_	CIEstato ora	