


Diabetes Management Flow Chart

Check Fingerstick Blood Glucose (BG)/
Continuous Glucose Monitor (CGM)

- Designated times per Diabetes Medical Management Plan (DMMP)
- Signs/symptoms high/low BG

SCHOOL YEAR



***Under 10 y/o -or- in “auto” mode (blue shield on screen of Minimed 670G) -or- Tandem pump with “suspend b/f low” feature turned on (diamond in left corner pump screen):** Should instead receive 10 gm carbs for low BG
Signs & symptoms of a low blood sugar (hypoglycemia) can include: shaky; nervous; sweaty; irritable, fast heartbeat; dizzy; hunger; drowsy; headache, strange behavior, confusion, passing out, seizure;
If these symptoms present when not able to check blood glucose (BG), treat immediately for low blood glucose

No ketone supplies: If unable to check ketones & student feels well, proceed as if ketones negative. Student feels ill: proceed as if mod/large
Signs/symptoms hyperglycemia (high BG): frequent urination & thirst (very common), blurry vision, flushed skin
Signs/symptoms of hyperglycemia with ketone concern (urgent!): Nausea, vomiting, stomach pain, no appetite, fruity breath, drowsy, weak, breathing problems (breathing problems are a late sign! Call 911)

When to release from school: Nausea, vomiting, lethargy, ketones, or BG under 70 after 3 treatments
When to call 911: Unusual breathing, severe headache, child is very sleepy or confused, child is unconscious